

COMFORT 3 IN 1: COOLING, HEATING & EXHAUST (Integrated Ceiling Fan)

Air Capacity up to
168 m³/h



Application

- All-in-one solution: heating, ventilation, and fresh air supply
- Powerful fast-heating function with adjustable temperature via RF remote
- Swinging air outlet for wider, 3D airflow coverage
- Built-in dust filter and soft night light for added comfort
- Compact design fits integrated and regular ceilings – saves space, adds style

Ideal for modern bathrooms where comfort meets convenience.










Product Specifications

Voltage [V]	Frequency [Hz]	Input Power [W]	Light Power [W]	Air Volume [m ³ /h]	Noise [dB(A)]
220	50	2100	1.5W (5x0.3W LED)	168	45

Ideal Applications

- Bathrooms, attached toilets, powder rooms, vanity zones
- Compact areas requiring combined heating + fresh air
- Homes, apartments, hotel washrooms, wellness centers

Installation



Design & Build

- 1. **Modern, compact design** suitable for all bathroom aesthetics
- 2. **Durable ABS plastic housing**, UV-resistant for long-lasting color and finish
- 3. **Smooth aluminum-finish panel** blends with integrated ceilings
- 4. **Integrated swing outlet** for wide-angle airflow distribution
- 5. **Night light function** adds soft illumination in low-light bathrooms
- 6. **Built-in dust filter** keeps internal components clean and ensures cleaner air circulation
- 7. **Panel Size:** 300 × 300 mm — fits standard false ceilings
- 8. **Protection Rating:** IPX2 – suitable for bathroom environments

Mounting & Compatibility


- 1. Designed for **integrated suspended ceilings** and **standard ceiling grids**
- 2. **Duct outlet (Ø100 mm)** connects to standard flexible ducting for fresh air supply
- 3. **Slim body profile** allows easy mounting without reducing ceiling space
- 4. Ideal for residential bathrooms, powder rooms, compact utility spaces.

Motor & Safety

- 1. Reliable internal motor designed for continuous operation
- 2. Constructed with **silicon steel sheet and copper winding** for durability
- 3. Built-in **overheat protection** for safety during prolonged use
- 4. Low power usage for ventilation and cooling, **high efficiency for heating**
- 5. Designed for **long maintenance-free operation**

Control & Operation

- RF Remote Control** for wireless adjustment of fan modes and temperature
- Independent control** of heater, fan, and lighting functions
- Swinging air guide plate** ensures 3D surround airflow
- One-touch night light** can be activated as needed
- Smart temperature management** makes it energy-efficient year-round



Dimensions

Dimensions [mm]			
Model	A	B	C
COMFORT 3 IN 1	283.5	127	271